

END TREATMENT DIMENSIONS


ID	L	W	Ts	Tb	Te	OD	B
15"	7'-6"	19"	4"	4"	6"	19-1/2"	20-7/8"
18"	9'-0"	23"	4"	4"	6"	23"	25"
24"	12'-6"	30"	4"	4"	6"	30"	32"

Meets or Exceeds NCDOT 310.02

General Notes

1. CONCRETE SHALL BE 4000 PSI MINIMUM
2. REINFORCING STEEL TO MEET ASTM-706
3. ALL PRECAST ELEMENTS SHALL MEET ASTM-C913
4. ALL OPENINGS TO HAVE ADDITIONAL #5 BARS FOR SUPPORT AS SHOWN

MANHOLE CASTINGS
FRAMES
STEEL PIPE
GEOTEXTILE FABRICS
EROSION CONTROL



MID-ATLANTIC DRAINAGE, INC

1124 WHITE OAK LANE
GALLIWAY TERRACE
(843) 356-4206

CATCH BASINS
CONCRETE
MANHOLE
CAST IRON GRATES &
FRAMES

P. O. BOX 398
NC 28543
(842) 324-0888

**Parallel
Pipe
End
Section**

FILE NAME	SCB001.DWG	Sheet	1
DATE	02.24.2010		
DRAWN BY	JSW		